62.39

MAR 3 0 1956 A MAR 3 D 1956 A MAR 3

INCORPORATED

HOLLISTON, MASS.

1956

PRICE LIST

TELEGRAPH . . . FRAMINGHAM, MASS.
TELEPHONE HOLLISTON, 345



EASTERN NURSERIES, Inc.

Holliston, Massachusetts

Price List

Evergreens

The prices of Evergreens include the burlapping of balls.

Each Per 10 Per 100

Abies concolor-White Fir

8 ft. 22.50 11 ft. 30.00

Juniperus chinensis pfitzeriana—Pfitzer Juniper

15 to 18 in. spread 5.00 45.00 18 to 24 in. spread 6.25 60.00

c. sargenti—Sargent Juniper—Blue and Green Forms

12 15 to in. spread 4.50 18 in. spread 5.50 3½ ft. spread 12.00 4 ft. spread 18.00 to to $3\frac{1}{2}$ to 5 to ft. spread 24.00 5 6 30.00 to ft. spread

communis hibenica—Irish Juniper

3 to 4 ft. 4.25 4 to 5 ft. 6.00

excelsa stricta—Greek Juniper

18 to 24 in. 4.50 5 to 6 ft. 15.00

h. depressα plumosα—Plumed Spreading Juniper

18 to 24 in. spread 5.00 **45.00** 2 to 3 ft. spread 6.25

| | | | | | Each | Per 10 | Per 10 |
|-----------|-------|-----------|------|------------------|----------------|---------|--------|
| - | | —Cont | | | | | |
| h. de | oug | ılasi— | Wai | ukegan] | unipe | r | |
| 15 | to | 18 | in. | spread | 4.25 | 40. | 00 |
| 18 | | 24 | in. | spread | 5.00 | 45 | .00 |
| 2 | to | $2^{1/2}$ | ft. | spread spread | 6.00 |) | |
| sαbi | nα | tamari | scif | olia —Ta | marix | Junipe | er |
| | | | | | | | |
| 3'2 | to | 4 | ft. | spread spread | 9.00 | ĺ | |
| squo | mo | rta—Sc | ale | y-leaved | Junip | er | |
| 3 | to | 4 | ft. | spread | 15.00 | | |
| 4 | to | 5 | ft. | spread spread | 24.00 | | |
| Picea (| Cos | ticki— | Dwo | arf Sprud | ce—bl | ue foli | age |
| 41/2 | ft. | | | | 22.50 | | |
| exce | lsα | clanb | rasi | liana—B | arry S | Spruce | |
| 4 | ft. | spread | ł | | 24.00 | | |
| , | : | | | C11 C | C | | |
| | | sperm | α | Small C | | | |
| 3 | tt. | | | | 18.00 | | |
| 41/2 | It. | E1/ | ſ. | | 24.00 | | |
| 6 | ft. | 51/2 | II. | | 30.00 33.00 | | |
| 7 | ft. | | | | 35.00 | | |
| 0 70 | ve at | | D | and Danata | ant - NT | | |
| | oru | | DWG | arf Prostr | ate M | orway | |
| 4 | ft. | spread | ŀ | | 22.50 | | |
| 41/2 | ft. | spread | ĺ | | 24.00 | | |
| 5 | ft. | spread | k | | 30.00 | | |
| e. re | mo | nti—D | war | f Remon | t Spru | ice | |
| $31/_{2}$ | ft. | | | | 18.00 | | |
| $4^{1/2}$ | ft. | | , | | 24.00 | | |
| 5 | ft. | | | | 30.00 | | |
| 51/2 | ft. | | | | 33.00 | | |
| 6 | ft. | | | | 36.00 | | |
| $71/_{2}$ | ft. | | | | 39.00 | | |

| Piceα—c | ontinue | d | Each | Per 10 Per 100 |
|--|--|--|--|----------------|
| | | ı —Dwarf <i>A</i> | lberta | Spruce |
| 10 to 12 to 15 to 18 to 2 to | 12 15 18 24 | in in. in. in. ft. | 3.75 4.75 6.00 7.50 9.75 | |
| wilsoni | —Dwa | rf Spruce | | |
| $5\frac{1}{2}$ ft. | | | 22.50 | |
| Taxus cu | spidata | -Japanese | Yew | |
| 12 to 15 to 18 to 2 to 2½ to 3 to 3½ to 4 to 5 to | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | ft. spread | 4.50 6.00 8.00 14.00 18.00 24.00 45.00 | |
| c. capi | | rect Japan | ese Ye | w |
| $ \begin{array}{ccccccccccccccccccccccccccccccccc$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | in. ft. ft. ft. ft. ft. ft. ft. | 7.50 10.00 19.50 25.00 30.00 45.00 | |
| c. dens | sα—Der | nse Japanes | se Yew | |
| 10 to 12 to 15 to 18 to 2 to 2½ to 3 to | 15 18 24 21/ ₂ 3 | ft. spread | 4.50 6.00 8.50 13.50 18.00 | 76.50 |
| c. nanc | x —Dwo | arf Japanes | e Yew | |
| 12 to 15 to 18 to 2 to 2½ to 3 to | 15 18 24 21/ ₂ 3 | in. spread in. spread in. spread ft. spread ft. spread ft. spread | 5.00 6.00 10.50 13.50 18.00 | 45.00 54.00 |

| | | | | | Each | Per 10 Per 100 |
|--|----------------------------|------------------------------|--|--|--|-------------------------|
| Taxus- | | ntinue Hybri | | 0117 | | |
| 2 2 ¹ / ₂ 3 3 ¹ / ₂ 4 | to to to to to | 2½ 3 3½ | ft. ft. ft. ft. | spread spread spread spread spread | 15.00 21.00 27.00 | 81.00 |
| | Iatfie | | - Tatf | ield Yew | | |
| 12 15 18 2 2 ¹ / ₂ 3 3 ¹ / ₂ | to | 18 24 | in. in. ft. ft. ft. ft. | | 4.00 5.50 7.50 10.50 15.00 21.00 24.00 | |
| m. h | icks | i —Hic | ks | Yew | | |
| 15 18 2 2 ¹ / ₂ | to to to | 18 24 2½ 3 | in. in. ft. ft. | | 4.75 6.50 8.50 13.50 | 45.00 58.50 75.00 |
| | occi | | | -Americo | m Ark | |
| 4 5 6 7 8 10 | to to to to to | 5 6 7 8 10 12 | ft. ft. ft. ft. ft. ft. | | 8.00 10.00 12.50 15.00 20.00 22.50 | 72.00 90.00 |
| | | si pyr ritae | ami | dalis—D | ougla | s Pyradmidal |
| 4 5 6 7 | to to to | 5 6 7 8 | ft. ft. ft. ft. | | 7.50 9.00 12.00 15.00 | |
| o. gl | obos | sa—G | lob | e Arborv | ritae | |
| 10 2 ft. 3½ 5 | to to to | 12 4 6 | in. ft. ft. | | 2.25 6.00 9.00 15.00 | |
| | | і—Но | vey | Arborvi | tae | |
| 3½ 4 | to to | 5 | ft. ft. | ٠. | 7.25 8.00 | 69.00 75.00 |

| | | | | | P . 1 | D . 10 | D 100 |
|---|----------|-----------------------|------------|------------|----------------|---------|---------|
| Thuja- | —co | ntinue | d | | Lach | Per IU | Per 100 |
| | | | | tle Gem | Arbo | rvitae | |
| 10 | | 12 | in. | spread | 2.25 | | |
| | | sprea | | | 4.50 | | |
| $2^{1/2}$ | it. | sprea | d | | 6.00 | | |
| o. lu | ıteα | -Geo | rge | Peabody | y Arb | orvitae | 9 |
| 4 | to | 5 | | | 7.50 | | |
| 5 | to | 6 | | | 9.00 | | |
| 6 7 | to | 7 | ft. | | 12.00 | | |
| | to | 8 | ft. | | 15.00 | | |
| | | | | Arborvit | | | |
| 6 7 | to | 7 | ft. | | 12.00 | | |
| 8 | to | 8 10 | ft. ft. | | 15.00 22.00 | | |
| | | | to 2 | 0 feet, p | ZZ.UU | | |
| on | app | licatio | n | o icci, p. | rices | | |
| | | | | yramid . | Arbor | witao | |
| 18 | to | | in. | yranna . | 3.00 | | nn |
| 2 | | 21/2 | | | 3.60 | | 50 |
| 31/2 | to | 4 | ft. | | 6.00 | | 00 |
| 4 | to | 4 5 5 | ft. | | 8.00 | | |
| 5 | to | 6 | ft. | | 10.00 | 90.0 | 00 |
| o. re | cur | va na | ıα— | -Dwarfed | l Recu | ırved | |
| Arbo | | | | | | | |
| 4 | to | 5 | ft. | | 7.50 | | |
| o. re | eidi- | -Reid | Ark | orvitae | | | |
| | | | ft. | | 6.00 | | |
| 4 | to | 5 | | | 9.00 | | |
| o. R | hine | aold- | -Go | lden Ark | orvit | Te er | |
| | to | | | idon ini | 6.00 | | |
| | | | | I Il1 | | | |
| | | 3 | | –Umbrell | 6.00 | | e |
| | | | | | | | |
| | | | | e Arbor | | | |
| 2½ 3 4 5 6 7 8 | to | 3 4 5 6 7 | ft. | | 6.50 | 58. | |
| 3 | to to | 5 | ft. ft. | | 8.50 12.00 | 76. | 30 |
| 5 | to | 6 | ft. | | 15.00 | | |
| 6 | to | 7 | ft. | | 21.00 | | |
| 7 | to | 8 | ft. | | 25.00 | | |
| 8 | to | 81/2 | ft. | | 30.00 | | |

Each Per 10 Per 100

Thuja—Continued

o. waxen-Golden Arborvitae

8 to 10 ft. 20.00

Tsuga canadensis—Canada Hemlock

21/2 ft. 6.00 to $21/_{2}$ to ft. 7.50 3 3 31/29.50 to ft. $31/_{2}$ to 4 ft. 10.50 5 to ft. 15.00

c. Brandleyi—Dwarf compact Hemlock

10 x 10 in. spread 9.00 12 x 12 in. spread 12.00

c. dawsoniana-Dwarf, dense Hemlock

3 x 3 ft. spread 15.00 39 x 39 in. spread 18.00 45 x 45 in. spread 22.50

caroliniana—Carolina Hemlock

4 to 5 ft. 15.00 5 to 6 ft. 18.00

diversifolia—Japanese Hemlock $3\frac{1}{2}$ to $4\frac{1}{2}$ ft. 18.00

Each Per 10 Per 100 Arctostaphylos uva-ursi—Bearberry Pot-grown .75 6.00 54.00 Buxus microphylla koreana—Korean Box 31/2 in. pots 6-8 in. high Suffruticosa—Old English Dwarf Box 4 to 6 in. .75 6.00 Calluna—Scotch Heather Vulgaris—Purple v. alba erecta—White v. alba hammondi-White v. alba minor—White v. alba pilosa—White v. alba searli—White v. alba spicata-White v. alporti-Carmine v. County of Wicklow-Double Pink v. cupreα—Purple v. hirsutα—Purple v. humilis—White v. hypnoides—Pink v. monstrosa—Pink v. rosea-Pink v. rosea searli-Pink v. rubra-Carmine v. tenella-Lavender All varieties from 3 in. pots 1.00 9.00 81.00 Daphne cneorum—Rose Daphne 5 7 to in. spread 1.25 8 10 in. spread 2.25 to 10 2.75 to 12 in. spread 12 15 to 3.00 in. spread Erica Camea—Spring Heath 1.25 4 in. pots carnea Sherwoodi-Carmine Heath

5

in. pots

6 in pots

carnea Springwood-White Heath

1.75

| | Each Per 10 Pe | r 100 |
|---|--------------------|-------|
| darleyensis—Darley | | |
| 4 in. pots | 1.25 | 7 |
| Hybrida Dawn —Pink | | |
| 4 in. pots | 1.50 | |
| Euonymus radicans c | arrieri—Glossy Wir | iter- |
| creeper | | |
| 4 year | 2.00 18.00 | |
| r. colorata—Redleaf | Wintercreeper | |
| Pot-grown | 1.25 11.00 | |
| r. kewensis—Prostrat | e Baby Wintercree | eper |
| Pot-grown | 1.50 12.00 | |
| r. vegetus—Bigleaf V | Vintercreeper | |
| 4 year | 2.00 18.00 | |
| Hedera helix baltica—I | Baltic Ivy | |
| 3 in. pots | .75 6.00 5 | 4.00 |
| Ilex crenata convexa— | Boxleaf Holly | |
| 12 to 15 in. | B&B 4.50 | |
| 15 to 18 in. | | |
| c. helleri-Heller Holly | Very compact, low | 7 |
| growing 4 in. pots | 2.00 1 | 8.00 |
| | | 0.00 |
| Kalmia latifolia —Mount 12 to 15 in. B&I | | |
| 15 to 18 in B&I | 5.75 | |
| 18 to 24 in B&I 2 to 2½ ft B&I 2½ to 3 ft B&I | 7.00 | |
| 2 to 2½ tt. B&I | 8.50 | |
| 3 to 4 ft. B&I | 3 11.00 3 18.00 | |
| 4 to 4½ ft. B&I | 22.50 | |
| Leucothoe catesbaei—I | Prooping Leucothoe | , |
| 2 to 3 ft. | 8.50 | |
| Pachistima canbyi—Cai | nby Pachistima | |
| 3 in. pots | 1.00 9.00 8 | 0.00 |
| Pachysandra terminalis | -Japanese Pachys | an- |
| ara | | |
| Pot-grown | .35 3.00 2 | 7.00 |
| | | |

100

| | | | | | | - |
|---|----------------------------------|--|---------------------------------|--|--|---------------------|
| Pieris | flori | bundo | ı N | Mountain | | Per 10 Per omeda |
| 12 15 18 2 2 ¹ / ₂ 3 | to to | 15 18 24 2½ 3 | in. in. in. ft. ft. | spread spread spread spread spread spread | 4.50 6.00 7.50 9.00 12.00 | 42.50 |
| japo | nica | .—Тар | ane | se Andro | omedo | ſ |
| 12 15 | | 15 | | B&B | | |
| | anth grov | | cine | a —Scarl | et Fire | ethorn |
| 10 | to | 12 | in. | spread | 1.50 | |
| COC | cine | ı lala | ndi- | -Laland | Fireth | norn |
| | 4 | in. | pots | 5 | 1.50 | |
| Rho | dod | endro | n | | | |
| | | ense — se pin | | tawba R | hodod | lendron— |
| 2 | to. | | ft. | | 10.50 | |
| 3 | to | 3 4 | ft. | | 15.00 | |
| max | imu | m —Ro | seb | ay Rhod | lodend | dron |
| 5 | to to to to to to | 24 2 ¹ / ₂ 3 3 ¹ / ₂ 4 5 6 | ft. ft. ft. | | 5.00 7.00 9.00 13.00 18.00 24.00 30.00 | |
| myr | tifoli | α —Dν | varf | , low and | l roun | ding |

Hybrid Rhododendrons

Visit our Rhododendron grove and make your own selections. We can offer named varieties in assorted colors from 18 inches to 4 feet, but only a few plants of a size or kind.

| 18 | to | 24 | in. | 9.00 |
|-----------|----|-----------|-----|-------|
| 2 | to | $2^{1/2}$ | ft. | 12.00 |
| $2^{1/2}$ | to | 3 | ft. | 15.00 |
| 3 | to | 4 | ft. | 21.00 |

18 to 24 in. spread 8.00

| | | | | | _ | | | | _ |
|--|------------------|-----------------|-------------------|----------------------------|-----|---------------------------------|------|-------------|-----|
| Azalea | a arl | | | Swe B&B | | Each Pe Azalea | r 10 | Per | 100 |
| _ | | | | ient H | | | | | |
| 12 18 | to | 15 | in. | B&B B&B | λ'n | 2.50 5.50 | | | |
| kaer | npfe | ri—To | orch | Azale | eα | | | | |
| 2 3 4½ | to to | 2½ 4 | ft. ft. ft. | | | 7.50 15.00 18.00 | | | |
| rose | α [| Downy | Pi | nxterb | loc | om | | | |
| 3 3 ¹ / ₂ 4 4 ¹ / ₂ | to to to | 4 4 1/2 | ft. ft. | B&B B&B B&B avy B | &Β | 9.00 12.00 13.50 15.00 | | | |
| vase | eyi | Pinks. | hell | Azale | ea | | | | |
| 4 5 | to to | 5 6 ft. | ft. he | B&B avy B | &B | 12.00 15.00 | | | |
| visc e 4 5 | osα- to to | -Swa 5 6 | ft. | Azaleo B&B B&B | а | 12.50 15.00 | | | |
| | | | | | | Yodogw | a A | zale | α |
| | | pread | | В | | | O | | |
| | | | _ | mese . -Salmo | | wering (| Quii | nce | |
| lαge | nari | a atro | coc | cinea | | e nα —Re | d | | |
| 1. | Balt Coli | zi—D | eep | Rose almor | , | | | | |
| 1. | kerr | | ια | | | .α—Deer | R | os e | to |
| 1. | nivo | ılis—\ | Whi | | | | | | |
| l. | sem | perflo oni—I | ren | s —Sof | tr | ose | | | |
| | 5 | in. | | | | 1.50 | | | |
| Cornus | flor | idα | Wh | ite Flo | we | ring Do | gwc | od | |

3 to 4 ft. B&B 6.00

| | Each Per 10 Per 100 |
|-----------------------------|------------------------|
| Cornus — continued | . 5 |
| florida rubra—Red Flowe | |
| $2\frac{1}{2}$ to 3 ft. B&B | 6.00 |
| Cotoneaster adpressa—Cre | |
| 4 in. pots | 1.25 10.50 90.00 |
| horizontalis—Rock Coton | easter |
| 4 in. pots | 1.25 10.50 90.00 |
| | |
| Cytisus praecox—Cream o | colored Warminster |
| Broom 3 in. pots | 1.25 10.50 |
| 3 in. pots 4 in. pots | 1.75 |
| | |
| purgans—Yellow Proven | |
| 4 in. pots | 1.75 |
| scoparius—Yellow Scotch | n Broom |
| 3 in. pots | 1.25 10.50 |
| 4 in. pots 5 in. pots | 1.50 13.50 |
| 5 in. pots | 2.00 18.00 |
| supinus—Yellow bigflowe | er Broom |
| 3 in. pots | 1.25 |
| 4 in. pots | 1.75 |
| Diervilla trifida—Dwarf Bus | sh Honeysuckl e |
| 2 to 3 ft. 3° to 4 ft. | 2.00 |
| 3° to 4 ft. | 3.00 |
| Euonymus alatus—Winged | Euonymus |
| 18 to 14 in. | 2.50 |
| 2 to 2½ ft. | 3.00 |
| 3 to 4 ft. | 4.50 |
| 5 to 6 ft. 8 to 9 ft. | 10.00 15.00 |
| | |
| Genista pilosa—Yellow Silk | y leaf Broom |
| 3 in. pots | 1.25 10.50 |
| 4 in. pots | 1.75 15.00 |
| prostrata—Yellow Broom | |
| 3 in. pots | 1.25 |
| 4 in pots | 1.75 |
| | |

12 Each Per 10 Per 100 Philadelphus Minnesota Snowflake—Sweet, double white Mockorange to 4 ft. 2.25 Potentilla fruticosa purdomi—Purdom's Light Yellow Cinquefoil to 24 2.00 31/2 ft. 3.00 Spiraea van houttei—Van Houtte Spirea $2\frac{1}{2}$ to 3 1.50 Syringa Chas. Joly—Double, dark violet purple Hybrid lilac to $3\frac{1}{2}$ ft. 3.00 Waldeck Rousseau—Double pink to mauve Hybrid lilac 2. to 3 ft. 2.75 Vaccinium Corymbosum—Highbush Blueberry 2 3 ft. B&B to 3.00 3 to 4 ft. B&B 4.00 4 5 ft. B&B to 6.00

Viburnum carlesi—Mayflower Viburnum

5.00

 $2\frac{1}{2}$ ft. B&B

2

to

Each Per 10 Per 100

Akebia quinata—Fiveleaf Akebia

4 in. pots

1.75 15.00

Ampelopsis heterophylla—Porcelain

Ampelopsis

Pot-grown

1.00

Lonicera halleana—Hall's Honeysuckle

Pot-grown

.75

6.00

14 Perennials and Rock Garden Plants

The plants are 50c each, \$3.50 per 10 unless otherwise marked. Five or more of one variety will be priced at the 10 rate.

Ajuga genevensis—Geneva Bugle

Alyssum Saxatile compactus—Dwarf Golden tuft.

Delphinium Pacific Hybrids—Larkspur Mixed 75c each.

Dianthus plumarius—Spice Pink

Lavandula officinalis (vera)—Sweet Lavender 50c each, \$4.00X.

Lupinus Russell Hybrids—Lupine 60c each, \$5.00X

Rosmarinus officinalis—Rosemary 75c each

Sedum album brevifolium—White ibericum—Rose reflexum—Yellow sexangulare—Yellow

Sempervivum arachnoideum—Spiderweb Houseleek

Sempervivum—Mixed varieties

Perennials and Rock Garden Plants 15

Teucrium chamaedrys—Chamaedrys Germander

50c each, \$4.50X

Vinca minor—Common Periwinkle

Pot-grown

.35 each 3.00x 24.00C

Yucca filimentosa—Common Yucca \$1.00 each

AND THE RESIDENCE OF STREET, THE PARTY OF STREET, T

*North of the

SHIPPING SEASON opens about March 20 to April 1 in the spring, and continues until May to June 1, and opens about October 1 in the fall, and continues until the ground freezes. Shipping for summer planting of Evergreens opens about August 15. Pot-grown plants can be shipped and planted at all times.

ORDER.—Write plainly and give explicit directions as to address and mode of shipment; otherwise we will forward according to our best judgment. All goods travel at purchaser's risks. We assume no responsibility for the goods after delivery to the forwarding companies.

When losses occur by delays in delivery, claims should be made at once on the forwarding companies.

CLAIMS, to receive consideration, must be made within ten (10) days of receipt of goods.

While we exercise the greatest care to have all Trees, Shrubs and Plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all that prove untrue, we do not give any warranty, expressed or implied; and in case of an error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods. Beyond that we can give no further warranty, as we cannot control planting conditions, weather and after-care.

PACKING.—We take great care in packing, using damp moss to protect roots. Boxes and bales are charged for at cost.

RATES.—The prices in this list supersede all previous rates, and apply to quantities specified, but two hundred and fifty (250) will be furnished at the thousand rate, twenty-five (25) at the one hundred rate, and five (5) at the ten rate. Specimens personally selected by the purchaser or his representative (or specially selected by us at the request of the purchaser) will be priced according to individual values.

This Price List cancels all previous lists, and prices are subject to change without notice.

TERMS, CASH WITH ORDERS, except to such persons as satisfy us as to their responsibility. Bills are due when presented and interest will be charged at the rate of six per cent on bills remaining unpaid December 1 in fall and June 1 in spring.

A Certificate of State Inspection will accompany each shipment.

Address all communications to office.

MEMBERS OF THE

Massachusetts Nurserymen's Association

American Association of Nurserymen

HOW TO REACH OUR NURSERIES

By MOTOR.—From Boston take Route 9 (Boston and Worcester Turnpike) to Wellesley. Take Route 16 to Sherborn and follow Route 27 from Sherborn to Goulding Street, then follow our signs from there to the Nurseries.

From WORCESTER.—Take main route to Framingham, or through Upton and Milford to Holliston. At Holliston Square—Central Street to Fisk Street to the Nurseries 111/2 miles. A new good road.

A cordial invitation is extended to visit our Nurseries for plant study or advice.

> OPEN FOR BUSINESS WEEK DAYS SUNDAYS BY APPOINTMENT ONLY

CONTENTS

| | Pages |
|----------------------------|----------|
| EVERGREENS | 1 to 6 |
| EVERGREEN SHRUBS | 7 to 9 |
| DECIDUOUS TREES and SHRUBS | 10 to 12 |
| VINES | 13 |
| HARDY PERENNIALS | 14 to 15 |